Utilizing Data from American FactFinder with TIGER/Line Shapefiles in ArcGIS

Web Adams, GISP Data Dissemination Specialist U.S. Census Bureau New York Regional Office <u>William.w.adams@census.gov</u> (212)-584-3440



3 Methods of Acquiring TIGER GIS Files

Via American Fact Finder

- Flexible, user may select the geographies of immediate interest
- Only a single data field per downloaded shapefile

Via TIGER website

- Contains index field (GEOID) to join with all downloaded Census Bureau data tables
- Less flexible, may only download by state or county
- TIGER Geodatabase



WWW.CENSUS.GOV Select 'Data Tools and Apps' then 'American FactFinder'



Latest News



Online Shopping and Mail Order Businesses Jump 27 Percent

May 29, 2014

Electronic shopping is showing rapid growth compared to the rest of the retail trade sector.



Anniversary of Americans with Disabilities Act: July 26 May 28, 2014

Disabilities Act prohibits discrimination against people with disabilities in employment, transportation, public accommodations, and government services.

New T

"New Trends in Farming" Live on C-SPAN's "America by the Numbers"

Stat of the Day



The Asian alone or in combination population in California in 2012 was 6.0 million. The state had the largest Asian population, followed by New York (1.7 million).

Read More





AFF Homepage



Community Facts

Find popular facts (population, income, etc.) and frequently requested data about your community.

Enter a state, county, city, town, or zip code: e.g., Atlanta, GA GO



Advanced Search

Download Options



American FactFinder provides access to data about the United States, Puerto Rico and the Island Areas. The data in American FactFinder come from several censuses and surveys. For more information see Using FactFinder and What We Provide.

News and Notes

Jan 29, 2013





The Demographic Profile for American Samoa is available...



Click on Advanced Search





American FactFinder provides access to data about the United States, Puerto Rico and the Island Areas. The data in American FactFinder come from several censuses and surveys. For more information see Using FactFinder and What We Provide.

Using American FactFinder

Learn about American FactFinder's functions and features.

What We Provide

The following data are available on American FactFinder:



News and Notes





Apr 29, 2014

Data from the 2012 Census of Governments: Finance - Survey of Public Pensions: State- and Locally-Administered Defined Benefit Data...



view all news, release schedules, and more »

Address Search

Find Census data by entering a street address.





To Select All Cities & Towns in Clinton Co., NY

U.S. Department of Commerce		Feedback FAQs Glossary Help
MAIN COMMUNITY FACTS	GUIDED SEARCH ADVANCED SEARCH DOWNLOAD CENTER	
Search - Use the option	ns on the left (topics, geographies,) to narrow your search results	
Your Selections 'Your Selections' is empty	To search for tables and other files in American FactFinder:	
Search using the options below: Topics	Select Geographies Address Map Select geographies to add to Your Selections ?	CLOSE X
(age, income, year, dataset,) Geographies (states, counties, places,) Race and Ethnic Groups (race, ancestry, tribe) Industry Codes (NAICS industry,) EEO Occupation Codes (executives, analysts,)	 Select from: most requested geographic types Select a geographic type: 	
	ADD TO YOUR SELECTIONS Didn't find your geographic type? Click the 'all geographic types' radio button above, or try the Name, Address or Map geography search options instead.	



To Select For Individual Income





To Select For Per Capita Income

U.S. Department of Commerce United States' Bureau	FactFinder	Feedback FAQs Glossary Help
MAIN COMMUNITY FACTS	GUIDED SEARCH ADVANCED SEARCH DOWNLOAD CENTER	
Search - Use the option	is on the left (topics, geographies,) to narrow your search results	
Your Selections	Search Results: 1-25 of 69 tables and other products match 'Your Selections'	per page: 💈 💌
Search using Search: "per capita" ?? People:Income & Earnings: Income/Earnings (Individuals) ??	Refine your search results: topic or table name per capita state, county or place (optional) GO (2)	
County Subdivision All County Subdivisions within Clinton County, New York 😒	Selected: 📄 View 🚛 Download ங Compare 🗖 Clear All 🕜	Reset sort Show results from: All available years
clear all selections and start a new search	ID 🔺 Table Eile er Desument Title	Datapat About
Control using the entire balance	B19301 PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2013 INFLATION-ADJUSTED DOLLARS)	2013 ACS 5-year estimates
Topics	BISSUTA PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2013 INFLATION-ADJUSTED DUCLARS) (WHITE ALONE)	2013 ACS 3-year estimates
(age, income, year, dataset,)	B19301B PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2013 INFLATION-ADJUSTED DOLLARS) (BLACK OR AFRICAN AMERICAN ALONE)	2013 ACS 5-year estimates
Geographies	B19301C PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2013 INFLATION-ADJUSTED DOLLARS) (AMERICAN INDIAN AND ALASKA NATIVE ALONE)	2013 ACS 5-year estimates 👔
(states, counties, places,)	B19301D PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2013 INFLATION-ADJUSTED DOLLARS) (ASIAN ALONE)	2013 ACS 5-year estimates 👔
Race and Ethnic Groups	B19301E PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2013 INFLATION-ADJUSTED DOLLARS) (NATIVE HAWAIIAN AND OTHER PACIFIC ISLANDER ALONE)	2013 ACS 5-year estimates 👔
(race, ancestry, tribe)	B19301F PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2013 INFLATION-ADJUSTED DOLLARS) (SOME OTHER RACE ALONE)	2013 ACS 5-year estimates 👔
Industry Codes	B19301G PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2013 INFLATION-ADJUSTED DOLLARS) (TWO OR MORE RACES)	2013 ACS 5-year estimates 👔
(NAICS industry,)	B19301H PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2013 INFLATION-ADJUSTED DOLLARS) (WHITE ALONE, NOT HISPANIC OR LATINO)	2013 ACS 5-year estimates 👔
EEO Occupation Codes	B193011 PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2013 INFLATION-ADJUSTED DOLLARS) (HISPANIC OR LATINO)	2013 ACS 5-year estimates 👔
(executives, analysts,)	B19301 PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2012 INFLATION-ADJUSTED DOLLARS)	2012 ACS 5-year estimates 👔
	B19301A PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2012 INFLATION-ADJUSTED DOLLARS) (WHITE ALONE)	2012 ACS 5-year estimates 👔
	B19301B PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2012 INFLATION-ADJUSTED DOLLARS) (BLACK OR AFRICAN AMERICAN ALONE)	2012 ACS 5-year estimates 👔
	B19301C PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2012 INFLATION-ADJUSTED DOLLARS) (AMERICAN INDIAN AND ALASKA NATIVE ALONE)	2012 ACS 5-year estimates 👔
	B19301D PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2012 INFLATION-ADJUSTED DOLLARS) (ASIAN ALONE)	2012 ACS 5-year estimates 👔
	B19301E PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2012 INFLATION-ADJUSTED DOLLARS) (NATIVE HAWAIIAN AND OTHER PACIFIC ISLANDER ALONE)	2012 ACS 5-year estimates 👔
	B19301F PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2012 INFLATION-ADJUSTED DOLLARS) (SOME OTHER RACE ALONE)	2012 ACS 5-year estimates 👔
	B19301G PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2012 INFLATION-ADJUSTED DOLLARS) (TWO OR MORE RACES)	2012 ACS 5-year estimates 🕖
	B19301H PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2012 INFLATION-ADJUSTED DOLLARS) (WHITE ALONE, NOT HISPANIC OR LATINO)	2012 ACS 5-year estimates 👔
	B193011 PER CAPITA INCOME IN THE PAST 12 MONTHS (IN 2012 INFLATION-ADJUSTED DOLLARS) (HISPANIC OR LATINO)	2012 ACS 5-vear estimates



The Data Table

U.S. Department of Communications Census Bureau	merce		AMERI Fac	tFi	nde	er (s	MISSO		J.	KENT	rucky		Feedbac	k FAQs	Glossary	Help
MAIN COMM	UNITY FAC	TS	GUIDED SE/	ARCH	ADVANCE	D SEARCH	I DO\	WNLOAD C	ENTER									
Advanced Se	arch - S	Search	all data	in Ame	rican Fa	actFind	er											
1 Advanced	Search	<mark>2</mark> T	able Viev	ver						1	Result	1 of 1		/IEW ALL /	AS PDF			
B19301	PER C Univer 2009-2	APITA IN se: Tota 013 Ame	ICOME IN I populati rrican Col	THE PA on (j) nmunity	ST 12 MO Survey 5	NTHS (IN -Year Es	I 2013 INI timates	FLATION	-ADJUSTI	ED DOLL	ARS)							
Table View											• ВАСК	TO ADVA	NCED SEAR	СН				
Actions: 🖉 Mod	lify Table	B	ookmark		rint	Downloa data value	e in the tab	Create a	Мар Э. 🕜		C/	ANCEL						
Although the Americ of the population for «< 1 - 18 of 30 >»	an Commun the nation, :	ity Survey states, cou	(ACS) prod inties, cities	uces popul and towns	ation, demo <u>c</u> and estimat	raphic and tes of hous	housing un ing units for	iit estimates r states and	s, it is the Ce I counties.	nsus Burea	au's Populat	ion Estimate	View (Geograph that produc	y Notes	Viev seminates th	w Table Nor he official es « < 1 - 18	timates
^ 1	Altona Clinton New	town, County, York	Au Sabl Clinton New	e town, County, York	Beekma town, C County, N	antown Clinton Iew York	Black Bro Clinton New	ook town, County, York	Champla Clinton New	in town, County, York	Chazy Clinton New	town, County, York	Clintor Clinton New	i town, County, York	Dannemo Clinton New	ora town, County, York	Ellenbur Clinton New	g town, County, York
1 of 1	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	Margin of Error
Per capita income in the past 12 months (in 2013 inflation-adjusted dollars)	21,005	+/-4,610	23,869	+/-2,458	28,417	+/-2,756	25,800	+/-2,614	25,826	+/-2,579	27,340	+/-3,025	22,969	+/-2,985	9,733	+/-2,151	21,139	+/-2,603

Source: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Explanation of Symbols:

An *** entry in the margin of error column indicates that either no sample observations or too few sample observations were available to compute a standard error and thus the margin of error. A statistical test is not



The Map & Download Interface





X	🚽 🍠 • (°' • =		ACS_13_5	YR_B01002_v	vith_ann - N	licrosoft Exc	el		_	- 0	23
F	ile Home Ins	ert Page Layout	Formula	Data	Review	View	Acrobat		۵	() — 6	P
Pas Clip	Calibri B I ⊑ ste ste board G Fo		≡ <mark>=</mark> 3 ≡ = 2 ≇ ≫·~ lignment	Genera Genera S - S - Numb	I → A % , Sty er ⊑	les ↓ les ↓ Ce	ert ▼ Σ lete ▼ J rmat ▼ 2	Sort & F Filter S Editing	ind & elect •		
	A1	▼ (= f _x	GEO.id								
			1								_
1	A	В	С	D	E	F	G	Н	1	J	
1	GEO.id	GEO.id2	GEO.displ	HD01_VD0	HD02_VD0	HD01_VD0	HD02_VD0	HD01_VD0	HD02_VD)4	
2	Id 🎽	ld2	Geograph	Estimate;	Margin of	Estimate;	Margin of	Estimate;	Margin of	Error; Me	۶d
3	1400000US34001000	34001000100	Census Tr	32.2	1.9	31.1	3.6	33.3	2.8		
4	1400000US34001000	34001000200	Census Tr	46	2.8	46.9	4.3	45.7	9.5		
5	1400000US34001000	34001000300	Census Tr	31.2	3.1	30.4	2.8	32.4	4.3		
6	14000000534001000	34001000400	Census Tr	45.4	11	40.7	13	48.8	12.6		
/	14000000534001000	34001000500	Census Tr	29.1	4.3	26.6	3.7	30.7	3.2		
ð	14000000534001003	34001001100	Census Tra	44.2	10.1	44.7	1	38	18.7		
9	14000000534001003	34001001200	Census Tr	37.9	3.7	30.2	12.0	42.9	12.4		
11	14000000334001003	24001001300	Consus Tr	22.1	2.7	17.2	5.2	92	12.4		
12	14000000334001001	34001001400	Consus Tr	20.1	19.7	22.1	11 7	/19.1	10.6		
13	1400000US34001001	34001001900	Census Tr	37.6	6.9	38.6	3.4	31	13		
14	1400000US34001002	34001002300	Census Tr	31.6	5.6	34.7	9.5	30.8	5.8		
15	1400000US34001002	34001002400	Census Tr	35.7	9.4	44.5	13.5	32.1	5.1		
16	1400000US34001002	34001002500	Census Tr	50.7	3.1	49.8	3.6	51.9	6.1		
14 4	ACS 13 5Y	R B01002 with	ann / 🔁 /								

- Open ACS_13_5YR_B01002-with_ann
- Delete Row 1.
- Change the column B header from Id2 to GEOID
- Change the format of the GEOID column from General to Text and File
 Save As Save as type as Excel Workbook.



I I I I I I I I I I I I I I I I I I I											- 0	23
	File Home Insert Page Layout Formulas Data Review View Acrobat									۵	🕜 🗆 é	P 83
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $												
	B1 • free GEOID									* 4 *		
	1	А	В	С	D	E	F	G	Н	1.1	J	
	1	Id	GEOID	Geograph	Estimate;	Margin of	Estimate;	Margin of	Estimate;	Margin of	Error; Me	edi 📃
	2	1400000US34001000	34001000100	Census Tra	32.2	1.9	31.1	3.6	33.3	2.8		
	3	1400000US34001000	34001000200	Census Tra	46	2.8	46.9	4.3	45.7	9.5		
	4	1400000US34001000	34001000300	Census Tra	31.2	3.1	30.4	2.8	32.4	4.3		
	5	1400000US34001000	34001000400	Census Tra	45.4	11	40.7	13	48.8	12.6		
	6	1400000US34001000	34001000500	Census Tra	29.1	4.3	26.6	3.7	30.7	3.2		
	7	1400000US34001001	34001001100	Census Tra	44.2	10.1	44.7	7	38	18.7		
	8	1400000US34001001	34001001200	Census Tra	37.9	5.7	30.2	6.6	42.9	4		
	9	1400000US34001001	34001001300	Census Tra	35.7	10.7	30.8	12.8	42	12.4		
	10	1400000US34001001	34001001400	Census Tra	23.1	3.7	17.2	5.3	28.1	2.9		
	11	1400000US34001001	34001001500	Census Tra	38.5	19.7	23.1	11.7	49.1	10.6		
	12	1400000US34001001	34001001900	Census Tra	37.6	6.9	38.6	3.4	31	13		
	13	1400000US34001002	34001002300	Census Tra	31.6	5.6	34.7	9.5	30.8	5.8		
	14	1400000US34001002	34001002400	Census Tra	35.7	9.4	44.5	13.5	32.1	5.1		
	15	1400000US34001002	34001002500	Census Tra	50.7	3.1	49.8	3.6	51.9	6.1		
	16	1400000US34001010	34001010101	Census Tra	52.7	2.9	50.8	3.3	54.3	2.6		-
	I4 - 4	ACS_13_5Y	R_B01002_with_	ann 🦯 🔁 /	/					-		
	Rea	ady	Averag	ge: 340192921	191 Count	: 2011 Sun	n: 6.83788E+	13 🔲 🗆	100%	Θ)(Ð ";;

 Save your work (we'll call this NJMedianAgeBySex) and close the Excel Workbook.



TIGER/Line Shapefiles and TIGER/Line Files

- TIGER/Line products are free spatial extracts from the Census Bureau's MAF/TIGER database, containing features such as roads, railroads, rivers, as well as legal and statistical boundaries.
 - Since 2007, the files are in shapefile format.
 - They are available for download here:

http://www.census.gov/geo/maps-data/data/tiger-line.html



U.S. Department of Commerce Economics and Statistics Administration U.S. CENSUS BUREAU

13

Downloading TIGER/Line Shapefiles

- There are four methods for downloading TIGER/Line Shapefiles:
 - Website Interface
 - Direct from the FTP site
 - Connect via FTP client
 - Direct from Data.gov
- This example will utilize the Website Interface method.
- For additional information about downloading and unzipping TIGER/Line Shapefiles, see the brochure "Downloading TIGER/Line Shapefiles", available on our "How To" webpage: <u>http://www.census.gov/geo/education/howtos.html.</u>



2014	2013	113th CD	2012	2011	2010	2009	2008	2007	2006SE	Census 2000	1992	
2014	2014 TIGER/Line Shapefiles											
All legal boundaries and names are as of January 1, 2014. Released August 19, 2014.												
🔶 🗝 Do	wnload											
►Te	• <u>Web ir</u> • <u>FTP si</u> chnical Do	nterface ite ocumentation										
→ Fil	e Availabi	lity										
→Us	er Notes											
The b desigr entitle	oundaries s nation for s ement.	shown are for (tatistical purpo	Census Bu oses does	reau stat not cons	istical dat titute a d	ta collectio eterminati	on and tal ion of juris	bulation p sdictional	urposes only authority or	r; their depiction a rights of ownershi	nd p or	

- Visit <u>http://www.census.gov/geo/maps-data/data/tiger-line.html.</u>
- Click on the **2014** Tab.
- Click Download.
- Under Download by File Type, Click Web Interface.





2014 TIGER/Line® Shapefiles

Select the layer you are interested in from the dropdown menu and click 'submit' for a list of the available geographic areas.



- Select Census Tracts in the dropdown menu and click submit.
- Under Census Tract, Select New Jersey, click Download.

Open with WinZip





- Right-click on the TIGER/Line Shapefile name.
- Select Joins and Relates.
- Select Join.



- A new screen appears for you to select the field from the shapefile that will be used to join the data.
 - You want the fully qualified geographic code. It is
 GEOID in the 2010 TIGER/Line Shapefiles.
 - The TIGER/Line Shapefiles technical documentation has more information on the record layouts and definition of each field.
- Next, select the data file you saved as an Excel Workbook, using the browse (open folder icon).
- Finally, choose the field from the data table to base the join on.
 - Since we edited the field name in the Excel
 Workbook to GEOID, ArcGIS automatically
 selects this field for the join.







					Þ	Сору		
Table	×	Remove						
	🔂 🕅 📲 🖌					Open Attribute Table		
	<u>a</u> - 4 6					Joins and Relates	•	
tl_2014_34_tract						Zoom To Laver		
	GEOID Geography Estimate; Median age Total: Margin of Error; Median age					Zoom To Make Visible		
34031256804		Census Tract 2568.04, Passaic County, Ne	44.4			Visible Scale Range	•	
34031246300		Census Tract 2463, Passaic County, New J	41.2			Lice Sumbol Levels		
34031181200		Census Tract 1812, Passaic County, New J	32					1
34031256803		Census Tract 2568.03, Passaic County, Ne	46.4			Selection	•	
34031246003		Census Tract 2460.03, Passaic County, Ne	43.5			Label Features		
•						Edit Features	•	
H 4 1	► ►I 0 0	out of 2010 Selected)				Convert Labels to Annotation		
1 11 2014 24 to at					80	Convert Features to Graphics		
ti_2014_34_tract					_	Convert Symbology to Representat	.on	
						Data	•	
					\diamond	Save As Layer File		
					P	Create Layer Package		
					TAP	Properties		

- To see the results, right-click on the TIGER/Line Shapefile name and select **Open Attribute Table**.
 - ArcMap builds a relationship between the shapefile and the data table.
 - The table now has the attributes from both the shapefile and the data table.
- The data can be used to create a thematic map or for other analysis.
- Multiple files can be joined to the shapefile.









Questions

Regarding TIGER/Line Products:

Visit: www.census.gov/geo

Email: <u>geo.tiger@census.gov</u>

Call: (301) 763-1128 - Geographic Products Branch

Regarding American FactFinder – Data Questions:

Visit: <u>http://factfinder2.census.gov/faces/nav/jsf/pages/using_factfinder.xhtml</u> Email: <u>nyro.pds@census.gov</u> Call: (212) 584- 3440 - NYRO DDS Program

ArcGIS[™] is a Trademark of esri.

TIGER/Line® is a Registered Trademark of the U.S. Census Bureau.



